


LOCATION PLAN
SCALE 1:10,000



- KEY CONTINUED**
- PROPOSED TREE PIT - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED ROAD MARKINGS - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED TRAFFIC SIGNAL - FOR DETAILS REFER TO TFL PRO DRAWINGS.
 - PROPOSED CYCLE STAND.
 - PROPOSED SELF-RIGHTING BOLLARD - FOR DETAILS REFER TO 1100 & 1200 SERIES.
 - PROPOSED NEW SIGN ON NEW POST - FOR DETAILS REFER TO 1200 SERIES.
 - EXISTING GULLY TO REMAIN.
 - NEW PROPOSED GULLY.
 - EXISTING GULLY TO BE REMOVED.
 - EXISTING LIGHTING COLUMN TO REMAIN.
 - EXISTING LIGHTING COLUMN & LUMINAIRE TO BE REMOVED.
 - EXISTING LIT POST TO REMAIN.
 - REVISION CLOUD.

- KEY CONTINUED**
- PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED CARRIAGEWAY RESURFACING - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED CARRIAGEWAY REINSTATEMENT / WIDENING - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED SIDE ROAD ENTRY TREATMENT - FOR DETAILS REFER TO 700 SERIES.
 - HIGH FRICTION SURFACE TREATMENT - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED RED COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED BUFF COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED REINSTATED EXISTING INSPECTION COVER AND FRAME TO SUIT NEW FOOTWAY LEVELS.
 - EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REINSTATED TO MATCH NEW CARRIAGEWAY LEVEL.
 - EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REPLACED WITH D400 COVER - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED RAMP.

FOR CONSTRUCTION, MAINTENANCE/ CLEANING AND DEMOLITION RISKS REFER TO THE RELEVANT METHOD STATEMENTS AND RISK ASSESSMENTS RELATED TO THIS TASK FOR SCHEME REF 60665313.

In addition to the hazard/risks normally associated with the types of work detailed on this drawing take note of above. All works on this drawing will be carried out by a competent contractor working to a provided appropriate method statement and risk assessment.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION BOX

- NOTES**
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING THE POSITION AND STATUS OF ALL STATUTORY UTILITY APPARATUS PRIOR TO COMMENCING ANY WORKS. THE CONTRACTOR SHALL COORDINATE AND UNDERTAKE ALL WORKS IN CONJUNCTION AND AGREEMENT WITH THE AFFECTED STATUTORY UTILITY COMPANIES AS NECESSARY.
 - ALL NEW SIGNS AND ROAD MARKINGS ARE TO BE LAID IN ACCORDANCE WITH THE 'TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016' (TSRGD 2016).
 - DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY. ALL DIMENSIONS AND LEVELS ARE IN METRES UNLESS OTHERWISE STATED.
 - DESIGN BASED ON TOPOGRAPHICAL SURVEY (PROVIDED BY TFL). LEVELS AND SETTING OUT TO BE CHECKED ON SITE BY CONTRACTOR PRIOR TO THE START OF WORKS.
 - THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER DETAILED DESIGN DRAWINGS, STANDARD DETAILS AND SPECIFICATIONS FOR WORKS.

- KEY**
- NEW GRANITE SQUARE EDGE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 0mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE SQUARE EDGE KERB FLUSH WITH CYCLE TRACK / FOOTWAY - FOR DETAILS REFER TO 1100 SERIES.
 - NEW PCC STANDARD BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW PCC STOP END BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE 45° SPLOYED KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 25mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 0mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 25mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED NEW GRANITE QUADRANT KERB - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED CYCLE TRACK CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED GREY CONCRETE BLOCKS - STRETCHER PATTERN - FOR DETAILS REFER TO 1100 SERIES.

Issue	RO/IA	Date	No.
Fourth issue	RO/IA	21/01/22	4
Third issue	RO/SRB	01/11/21	3
Second issue	RO/SRB	22/11/21	2
First issue	RO/IA	15/09/21	1
Initial issue	ADV/IA	17/04/20	0
Revision Details	By	Check	Date

Purpose of issue
FOR CONSTRUCTION

Client
London Borough of Hounslow

Project Title
CYCLE SUPERHIGHWAY ROUTE 9 LBH SECTION

Drawing Title
PACKAGE 3A - 100 SERIES GENERAL ARRANGEMENT SHEET 2 OF 5

Designed	Drawn	Checked	Approved	Date
ADV	ADV	KK	SRB	17/04/2020

AECOM Internal Project No. 60665313 Scale @ A1 1:200



AECOM


60665313-CS9-100-28 Rev 4

FOR CONSTRUCTION

C:\P\WORKING\AECOM_LBHS\LP-CL\RYAN.02\A\AECOM\60665313-CS9-100-DWG-100-01.DWG ORZA, RYAN

Based upon a reproduction from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. Transport for London, Account Licence No. 1000359711083, 2021.

LOCATION PLAN
SCALE 1:10,000



- KEY CONTINUED**
- TTL PROPOSED TRAFFIC SIGNAL - FOR DETAILS REFER TO TFL PRO DRAWINGS.
 - PROPOSED CYCLE STAND.
 - PROPOSED NEW SIGN ON NEW POST - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED NEW SIGN ON EXISTING POST - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED INDICATIVE LOCATION OF BUS FLAG.
 - NEW PROPOSED GULLY.
 - EXISTING GULLY TO REMAIN.
 - EXISTING LIGHTING COLUMN TO REMAIN.
 - EXISTING LIGHTING COLUMN & LUMINAIRE TO BE REMOVED.
 - EXISTING LIT POST TO REMAIN.
 - REVISION CLOUD.

- KEY CONTINUED**
- PROPOSED CARRIAGEWAY RESURFACING - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED CARRIAGEWAY REINSTATEMENT / WIDENING - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED SIDE ROAD ENTRY TREATMENT - FOR DETAILS REFER TO 700 SERIES.
 - HIGH FRICTION SURFACE TREATMENT - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED RED COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED BUFF COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED REINSTALLED EXISTING INSPECTION COVER AND FRAME TO SUIT NEW FOOTWAY LEVELS.
 - NEW INSET COVER - FOR DETAILS REFER TO 1100 SERIES.
 - EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REINSTATED TO MATCH NEW CARRIAGEWAY LEVEL.
 - EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REPLACED WITH D400 COVER - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED RAMP.
 - PROPOSED TREE PIT - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED ROAD MARKINGS - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED BUS SHELTER - TO BE INSTALLED BY BUS INFRASTRUCTURE.

FOR CONSTRUCTION, MAINTENANCE/ CLEANING AND DEMOLITION RISKS REFER TO THE RELEVANT METHOD STATEMENTS AND RISK ASSESSMENTS RELATED TO THIS TASK FOR SCHEME REF 60665313.

In addition to the hazard/draws normally associated with the types of work detailed on this drawing take note of above. All works on this drawing will be carried out by a competent contractor working to a provided appropriate method statement and risk assessment.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION BOX

- NOTES**
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING THE POSITION AND STATUS OF ALL STATUTORY UTILITY APPARATUS PRIOR TO COMMENCING ANY WORKS. THE CONTRACTOR SHALL COORDINATE AND UNDERTAKE ALL WORKS IN CONJUNCTION AND AGREEMENT WITH THE AFFECTED STATUTORY UTILITY COMPANIES AS NECESSARY.
 - ALL NEW SIGNS AND ROAD MARKINGS ARE TO BE LAID IN ACCORDANCE WITH THE "TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016" (TSRGD 2016).
 - DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY. ALL DIMENSIONS AND LEVELS ARE IN METRES UNLESS OTHERWISE STATED.
 - DESIGN BASED ON TOPOGRAPHICAL SURVEY (PROVIDED BY TFL). LEVELS AND SETTING OUT TO BE CHECKED ON SITE BY CONTRACTOR PRIOR TO THE START OF WORKS.
 - THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER DETAILED DESIGN DRAWINGS, STANDARD DETAILS AND SPECIFICATIONS FOR WORKS.

- KEY**
- NEW GRANITE SQUARE EDGE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 0mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE SQUARE EDGE KERB FLUSH WITH CYCLE TRACK / FOOTWAY - FOR DETAILS REFER TO 1100 SERIES.
 - NEW PCC STANDARD BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW PCC STOP END BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE 45° SPLAYED KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 25mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 0mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED NEW GRANITE QUADRANT KERB - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED CYCLE TRACK CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED GREY CONCRETE BLOCKS - STRETCHER PATTERN - FOR DETAILS REFER TO 1100 SERIES.

Fourth issue	RO/AA	21/01/22	4
Third issue	RO/SRB	01/11/21	3
Second issue	RO/SRB	22/11/21	2
First issue	RO/AA	15/09/21	1
Initial issue	AD/VA	17/04/20	0
Revision Details	By	Check	Date


Purpose of issue
FOR CONSTRUCTION



Project Title
**CYCLE SUPERHIGHWAY ROUTE 9
LBH SECTION**

Drawing Title
**PACKAGE 3A - 100 SERIES
GENERAL ARRANGEMENT
SHEET 3 OF 5**

Designed ADV	Drawn ADV	Checked KK	Approved SRB	Date 17/04/2020
AECOM Internal Project No. 60665313			Scale @ A1 1:200	





60665313-CS9-100-29
Rev
4

**FOR
CONSTRUCTION**

C:\P\WORKING\AECOM_LBSC_LIN\CL\RYAN_ORZAN@AECOM.COM\02627546665313-CS9-100-DWG-100-51.DWG ORZAN, RYAN

Based upon a reproduction from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. Transport for London, Account Licence No. 1000359711083, 2021.

LOCATION PLAN
SCALE 1:10,000



- KEY CONTINUED**
- PROPOSED CARRIAGEWAY RESURFACING - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED CARRIAGEWAY REINSTATEMENT / WIDENING - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED SIDE ROAD ENTRY TREATMENT - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED GREY CONCRETE BLOCKS IN HERRINGBONE BOND - FOR DETAILS REFER TO 1100 SERIES.
 - HIGH FRICTION SURFACE TREATMENT - FOR DETAILS REFER TO 700 SERIES.
 - PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED ASPHALT FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED RED COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED BUFF COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED REINSTALLED EXISTING INSPECTION COVER AND FRAME TO SUIT NEW FOOTWAY LEVELS.
 - NEW INSET COVER - FOR DETAILS REFER TO 1100 SERIES.
 - EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REINSTATED TO MATCH NEW CARRIAGEWAY LEVEL.

- KEY CONTINUED**
- PROPOSED RAMP.
 - PROPOSED ROAD MARKINGS - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED BUS SHELTER - TO BE INSTALLED BY BUS INFRASTRUCTURE.
 - PROPOSED CYCLE STAND.
 - PROPOSED NEW SIGN ON NEW POST - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED NEW SIGN ON EXISTING POST - FOR DETAILS REFER TO 1200 SERIES.
 - PROPOSED NEW PROPOSED BUS FLAG.
 - EXISTING GULLY TO REMAIN.
 - NEW PROPOSED GULLY.
 - EXISTING GULLY TO BE REMOVED.
 - EXISTING LIGHTING COLUMN TO REMAIN.
 - PROPOSED LIGHTING COLUMN & LUMINAIRE (REUSED).
 - EXISTING LIGHTING COLUMN & LUMINAIRE TO BE REMOVED.
 - EXISTING LIT POST TO REMAIN.

FOR CONSTRUCTION, MAINTENANCE/CLEANING AND DEMOLITION RISKS REFER TO THE RELEVANT METHOD STATEMENTS AND RISK ASSESSMENTS RELATED TO THIS TASK FOR SCHEME REF 60665313.

In addition to the hazard/risks normally associated with the types of work detailed on this drawing take note of above. All works on this drawing will be carried out by a competent contractor working to a provided appropriate method statement and risk assessment.

- NOTES**
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING THE POSITION AND STATUS OF ALL STATUTORY UTILITY APPARATUS PRIOR TO COMMENCING ANY WORKS. THE CONTRACTOR SHALL COORDINATE AND UNDERTAKE ALL WORKS IN CONJUNCTION AND AGREEMENT WITH THE AFFECTED STATUTORY UTILITY COMPANIES AS NECESSARY.
 - ALL NEW SIGNS AND ROAD MARKINGS ARE TO BE LAID IN ACCORDANCE WITH THE "TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016" (TSRGD 2016).
 - DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY. ALL DIMENSIONS AND LEVELS ARE IN METRES UNLESS OTHERWISE STATED.
 - DESIGN BASED ON TOPOGRAPHICAL SURVEY (PROVIDED BY TFL). LEVELS AND SETTING OUT TO BE CHECKED ON SITE BY CONTRACTOR PRIOR TO THE START OF WORKS.
 - THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER DETAILED DESIGN DRAWINGS, STANDARD DETAILS AND SPECIFICATIONS FOR WORKS.

- KEY**
- NEW GRANITE SQUARE EDGE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 6mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE SQUARE EDGE KERB FLUSH WITH CYCLE TRACK / FOOTWAY - FOR DETAILS REFER TO 1100 SERIES.
 - NEW PCC STANDARD BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - NEW PCC STOP END BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE 45° SPLAYED KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 25mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 6mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
 - NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED NEW GRANITE QUADRANT KERB - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED CYCLE TRACK CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
 - PROPOSED GREY CONCRETE BLOCKS - STRETCHER PATTERN - FOR DETAILS REFER TO 1100 SERIES.

Fourth issue	RO/AA	21/01/22	4
Third issue	RO/SRB	01/11/21	3
Second issue	RO/SRB	22/11/21	2
First issue	RO/AA	15/09/21	1
Initial issue	AD/VA	17/04/20	0
Revision Details	By	Check	Date


Purpose of issue
FOR CONSTRUCTION

Client
London Borough of Hounslow

Project Title
**CYCLE SUPERHIGHWAY ROUTE 9
LBH SECTION**

Drawing Title
**PACKAGE 3A - 100 SERIES
GENERAL ARRANGEMENT
SHEET 4 OF 5**

Designed ADV	Drawn ADV	Checked KK	Approved SRB	Date 17/04/2020
AECOM Internal Project No. 60665313		Scale @ A1 1:200		



AECOM


60665313-CS9-100-30 Rev 4

FOR CONSTRUCTION

C:\P\WORKING\AECOM_LBHS\LP-CL\TRIAN\OPZ\A\60665313-CS9-100-DWG-100-51.DWG ORCA, RYAN

Based upon a reproduction from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. Transport for London, Account/Licence No. 100035971083, 2021.

LOCATION PLAN
SCALE 1:10,000



KEY CONTINUED

- PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED CARRIAGEWAY RESURFACING - FOR DETAILS REFER TO 700 SERIES.
- PROPOSED CARRIAGEWAY REINSTATEMENT / WIDENING - FOR DETAILS REFER TO 700 SERIES.
- PROPOSED SIDE ROAD ENTRY TREATMENT - FOR DETAILS REFER TO 700 SERIES.
- HIGH FRICTION SURFACE TREATMENT - FOR DETAILS REFER TO 700 SERIES.
- PROPOSED ASPHALT FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED RED COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED BUFF COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED CONTRAST GREY COLOUR BLISTER PAVING - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED REINSTALLED EXISTING INSPECTION COVER AND FRAME TO SUIT NEW FOOTWAY LEVELS.
- NEW INSET COVER - FOR DETAILS REFER TO 1100 SERIES.
- EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REINSTATED TO MATCH NEW CARRIAGEWAY LEVEL.
- EXISTING MANHOLE / INSPECTION COVER AND FRAME TO BE REPLACED WITH D400 COVER - FOR DETAILS REFER TO 1100 SERIES.

KEY CONTINUED

- PROPOSED RAMP.
- PROPOSED TREE PIT - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED ROAD MARKINGS - FOR DETAILS REFER TO 1200 SERIES.
- PROPOSED TRAFFIC SIGNAL - FOR DETAILS REFER TO TFL PRO DRAWINGS.
- PROPOSED SELF-RIGHTING BOLLARD - FOR DETAILS REFER TO 1100 & 1200 SERIES.
- RELOCATED BENCH.
- PROPOSED NEW SIGN ON NEW POST - FOR DETAILS REFER TO 1200 SERIES.
- PROPOSED NEW SIGN ON EXISTING POST - FOR DETAILS REFER TO 1200 SERIES.
- EXISTING GULLY TO REMAIN.
- NEW PROPOSED GULLY.
- EXISTING GULLY TO BE REMOVED.
- EXISTING LIGHTING COLUMN TO REMAIN.
- PROPOSED LIGHTING COLUMN (LUMINAIRE REUSED).
- EXISTING LIGHTING COLUMN & LUMINAIRE TO BE REMOVED.
- EXISTING LIT POST TO REMAIN.
- EXISTING LIT POST TO BE REMOVED.
- REVISION CLOUD.

FOR CONSTRUCTION, MAINTENANCE/ CLEANING AND DEMOLITION RISKS REFER TO THE RELEVANT METHOD STATEMENTS AND RISK ASSESSMENTS RELATED TO THIS TASK FOR SCHEME REF 60665313.

In addition to the hazard/risks normally associated with the types of work detailed on this drawing take note of above. All works on this drawing will be carried out by a competent contractor working to a provided appropriate method statement and risk assessment.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION BOX

NOTES

- THE CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING THE POSITION AND STATUS OF ALL STATUTORY UTILITY APPARATUS PRIOR TO COMMENCING ANY WORKS. THE CONTRACTOR SHALL COORDINATE AND UNDERTAKE ALL WORKS IN CONJUNCTION AND AGREEMENT WITH THE AFFECTED STATUTORY UTILITY COMPANIES AS NECESSARY.
- ALL NEW SIGNS AND ROAD MARKINGS ARE TO BE LAID IN ACCORDANCE WITH THE TRAFFIC SIGNS REGULATIONS AND GENERAL DIRECTIONS 2016 (TSRGD 2016).
- DO NOT SCALE FROM THIS DRAWING. USE FIGURED DIMENSIONS ONLY. ALL DIMENSIONS AND LEVELS ARE IN METRES UNLESS OTHERWISE STATED.
- DESIGN BASED ON TOPOGRAPHICAL SURVEY (PROVIDED BY TFL). LEVELS AND SETTING OUT TO BE CHECKED ON SITE BY CONTRACTOR PRIOR TO THE START OF WORKS.
- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL OTHER DETAILED DESIGN DRAWINGS, STANDARD DETAILS AND SPECIFICATIONS FOR WORKS.

KEY

- NEW GRANITE SQUARE EDGE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE KERB WITH 6mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE SQUARE EDGE KERB FLUSH WITH CYCLE TRACK / FOOTWAY - FOR DETAILS REFER TO 1100 SERIES.
- NEW PCC STANDARD BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
- NEW PCC STOP END BLOCK CYCLEWAY DEMARCATION PAVING WITH UP TO 20mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE 45° SPLAYED KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE KERB WITH 25mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE KERB WITH 6mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE KERB WITH 125mm UPSTAND - FOR DETAILS REFER TO 1100 SERIES.
- NEW GRANITE TRANSITION KERB - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED NEW GRANITE QUADRANT KERB - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED CYCLE TRACK CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED 400 x 400mm THICK PRECAST CONCRETE MODULAR PAVING SLABS FOR FOOTWAY CONSTRUCTION - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED NEW HERRINGBONE GREY CONCRETE BLOCKS - FOR DETAILS REFER TO 1100 SERIES.
- PROPOSED GREY CONCRETE BLOCKS - STRETCHER PATTERN - FOR DETAILS REFER TO 1100 SERIES.

Fourth issue	RO/IA	21/01/22	4
Third issue	RO/SRB	01/12/21	3
Second issue	RO/SRB	22/11/21	2
First issue	RO/IA	15/09/21	1
Initial issue	ADV/IA	17/04/20	0
Revision Details	By	Check	Date


Purpose of issue
FOR CONSTRUCTION



Project Title
**CYCLE SUPERHIGHWAY ROUTE 9
LBH SECTION**

Drawing Title
**PACKAGE 3A - 100 SERIES
GENERAL ARRANGEMENT
SHEET 5 OF 5**

Designed ADV	Drawn ADV	Checked KK	Approved SRB	Date 17/04/2020
AECOM Internal Project No. 60665313		Scale @ A1 1:200		



60665313-CS9-100-31 Rev 4

FOR CONSTRUCTION

C:\P\WORKING\AECOM_LB92_LP-CLT\RYAN.OPZ\A\60665313-CS9-100-DWG-100-31.DWG
ORCA, RYAN

Based upon a reproduction from the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationary Office © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. Transport for London, Account/Licence No. 100035971083, 2021.